

Pharmaceutical Products Catalog

Pharmaceutical Products Catalog	1
1: Hongjitang Sea Dragon & Tokay Gecko Oral Liquid	1
2: Hongjitang Chufengjing Oral Liquid (Chicken Fetus & Herbal Extract)	2
3: Hongjitang Qianliexin Capsules	3
4: Hongjitang Jinming Tablets	4
5: Hongjitang Niu Huang Qingxin Pills (Official Formula)	5
6: Taiji Wuzi Yanzong Pills	6
7: Taiji Dusheng Lidan Paishi Tablets	7
8: Xinnaoqing Softgels	8
9: Dajia Weikang Banlangen Granules	9
10: Dajia Weikang Xiaojianzhong Granules	10
11: Dajia Weikang Liuwei Dihuang Capsules	11
12: Dajia Weikang Naodesheng Pills (Concentrated Pills)	12
13: Dajia Weikang Ginger & Jujube Cold-Dispelling Granules	13
14: Dajia Weikang Xinshenghua Granule	14
15: Fuyanjie Jieyinkang Lotion	16
16: Renhe Dahulu Pills (Small Honeyed Pills)	17
17: Renhe Xiaoyao Granules	18
18: Renhe Twelve-Ingredient Wuji Baifeng Pills	19
19: Renhe Wuzi Yanzong Pills	20
20: Renhe Weikangling Capsules	21
21: Renhe Yaotong Capsules	22
22: Renhe Zhengwei Capsules	23
23: Renhe Jingkang Capsules	24
24: Renhe Shenlu Bu Tablets	25
25: Renhe Biyaning Granules	26
26: Renhe Zhisuning Tablets	27
27: Renhe Qinghuo Capsules	28
28: Renhe Shiduqing Tablets	29
29: Renhe Paishi Lidan Granules	30
30: Renhe Fuyanling Tablets	31
31: Xiucheng Pharmaceutical Qianshan Huoxue Ointment	32

1: Hongjitang Sea Dragon & Tokay Gecko Oral Liquid



1. Product Overview

This product is a light brown to reddish-brown liquid with a sweet taste.

2. Product Functions

Product Functions	Warms and tonifies Kidney-Yang, tonifies and replenishes essence and blood. Used for soreness and weakness of the lower back and knees, pale complexion, dizziness, and vertigo.
-------------------	--

3. Product Specifications and Ingredients

Product Specifications	Glass bottle, 10 ml × 28 vials/box
Ingredients	Sea Dragon, Tokay Gecko, Ginseng, Goat Penis, Goat External Testicle, Scutellaria Root, Prepared Rehmannia Root, Cuscuta Seed, Fleeceflower Root, Rehmannia Root, Tangerine Peel, Angelica Sinensis, Astragalus, Actinolite, Lotus Stamen, Licorice, Chuanxiong Rhizome, Alisma, Cynomorium, Amomum Cardamomum, Agarwood, Deer Antler, Goji Berry, Cistanche, Honey-fried Epimedium, Cinnamon, Chinese Chive Seed, Cnidium Fruit, Sichuan Pepper. Excipients: Sucrose, Sodium Hydroxide, Benzoic Acid.

4. Direction for use

Directions for Use	Oral. 10 ml per dose, 2 times daily.
Precautions	Prohibited for children and pregnant women. Contraindicated for patients with external contraction (colds/flu) or hypertension.
Contraindication	Avoid spicy, cold/raw, and greasy foods. This product is best taken before meals. Patients with chronic conditions such as heart disease, liver disease, diabetes, or kidney disease should take it under physician guidance. If symptoms do not improve after 2 weeks, consult a physician. Prohibited for those allergic to this product; use with caution if you have allergic constitution. Do not use if the product's characteristics change. Keep out of reach of children. If using other medications, consult a physician or pharmacist before use.

2: Hongjitang Chufengjing Oral Liquid (Chicken Fetus & Herbal Extract)



1. Product Overview

This product is a reddish-brown liquid with a sweet taste.

2. Product Functions

Product Functions	Warms and tonifies Kidney Yang, replenishes Qi and nourishes blood. Used for symptoms caused by insufficient Kidney Yang and dual deficiency of Qi and blood, such as back pain, limb weakness, dizziness, neurasthenia, insomnia, palpitations, memory decline, loss of appetite, and irregular menstruation in women.
-------------------	---

3. Product Specifications and Ingredients

Product Specifications	10 ml × 28 vials/box
Ingredients	Amomum, Cinnamon Bark, Moutan Bark, Acorus Gramineus, Agarwood, Astragalus, Licorice, Ginseng, Deer Antler, Lotus Stamen, White Peony Root, Psoralea Fruit, Raspberry Fruit, Goji Berry, Alisma, Prepared Rehmannia Root, Cistanche, Chinese Yam, Angelica Sinensis, Achyranthes Root, Poria, Cynomorium, Dog Penis, Epimedium (fried with sheep fat), Eucommia Bark, Goat External Testicle, Goat Penis, Chicken Fetus. Excipients: Sucrose, Benzoic Acid.

4. Direction for use

Directions for Use	Oral. 10 ml per dose, 2 times daily.
Precautions	Prohibited for children and pregnant women.
Contraindication	Avoid spicy, cold/raw, and greasy foods. Not suitable for patients with colds and fever. This product is best taken before meals.

3: Hongjitang Qianliexin Capsules



1. Product Overview

This product is a hard capsule containing a brownish-yellow to brownish-brown powder with an aromatic odor and slightly bitter taste.

2. Product Functions

Product Functions	Invigorates blood and resolves stasis, clears heat and disinhibits dampness. Used for strangury patterns caused by static blood accumulation and damp-heat pouring downwards, manifesting as urinary urgency, painful urination, inhibited voiding, and dribbling after urination. Also for chronic prostatitis and prostatic hyperplasia presenting the above patterns.
-------------------	--

3. Product Specifications and Ingredients

Product Specifications	0.5g × 54 capsules per box
Ingredients	Stir-fried Peach Kernel, Myrrh (stir-fried), Salvia Root, Red Peony Root, Safflower, Hirsute Bugleweed, Stir-fried Vaccaria Seed, Chinese Honeylocust Spine, Patrinia Herb, Dandelion, Toosendan Fruit, Angelica Dahurica, Pyrrosia, Goji Berry.

4. Direction for use

Directions for Use	Oral. 4-6 capsules per dose, 3 times daily; or follow the physician's advice
Precautions	Not specified yet.
Contraindication	Occasional epigastric discomfort generally does not affect continued treatment.

4: Hongjitang Jinming Tablets



1. Product Overview

This product appears as light brown tablets or film-coated tablets, appearing light brown after removing the film coating. It has an aromatic odor and taste (sweet, slightly sour and salty).

2. Product Functions

Product Functions	Clears heat and generates fluids, restores voice and benefits the throat. Used for chronic pharyngitis, chronic laryngitis, throat swelling/pain, hoarseness/aphonia, and dry throat, itchy throat, effortful voice, and difficulty in voice onset after voice overuse.
-------------------	---

3. Product Specifications and Ingredients

Product Specifications	24 tablets per box
Ingredients	Rehmannia Root, Borax (calcined), Scrophularia Root, Artificial Bovine Bezoar, Ophiopogon Root, Borneol, Salvia Root, Menthol, Mume Fruit, Pearl Powder, Anhydrous Sodium Sulfate. Excipients: Dextrin, Sucrose, Magnesium Stearate, Citric Acid, Film Coating Premix.

4. Direction for use

Directions for Use	Suck slowly. 1-2 tablets each time, 3-4 times daily
Precautions	Not specified yet.
Contraindication	Avoid spicy and fishy foods. Use with caution during pregnancy. Use with caution for aphonia caused by Qi deficiency with weakened vocal cord muscles. Do not take concurrently with warming and tonifying Chinese patent medicines. Not suitable for throat swelling/pain caused by external wind pathogen. If symptoms do not improve or worsen after 7 days, or other symptoms appear, consult a physician. Diabetic patients and children should take under physician's guidance. Prohibited for those allergic; use with caution for allergic constitution. Do not use if characteristics change. Children must use under adult supervision. Keep out of reach of children. Consult physician or pharmacist before use if using other medications.

5: Hongjitang Niuhuang Qingxin Pills (Official Formula)



1. Product Overview

This product is a reddish-brown large honeyed pill with an aromatic odor and slightly sweet taste.

2. Product Functions

Product Functions	Clears the heart, transforms phlegm, suppresses fright, and dispels wind. Used for symptoms caused by wind-phlegm obstructing the orifices, such as dizziness/vertigo, excessive salivation/mucus, mental confusion, unclear speech, convulsions due to fright wind, and epilepsy.
-------------------	--

3. Product Specifications and Ingredients

Product Specifications	Large honeyed pill, 3g per pill.
Ingredients	In Vitro Cultured Bovine Bezoar, Angelica Sinensis, Chuanxiong Rhizome, Licorice, Chinese Yam, Scutellaria Root, Stir-fried Apricot Kernel, Soybean Germinated Seed, Jujube, Stir-fried Atractylodes Rhizome, Poria, Platycodon Root, Saposhnikovia, Bupleurum, Donkey-Hide Gelatin, Dried Ginger, White Peony Root, Ginseng, Massa Medicata Fermentata (stir-fried), Cinnamon Bark, Ophiopogon Root, Ampelopsis Root, Stir-fried Typhae Pollen, Artificial Musk, Borneol, Buffalo Horn Concentrate Powder, Antelope Horn, Cinnabar, Realgar.

4. Direction for use

Directions for Use	Oral. 1 pill each time, 1 time daily for large honeyed pills.
Precautions	Not specified yet.
Contraindication	Use with caution during pregnancy. Use with caution in athletes.

6: Taiji Wuzi Yanzong Pills



1. Product Overview

This product is a brownish-brown water-honeyed pill with a sweet, sour, and slightly bitter taste.

2. Product Functions

Product Functions	Tonifies the Kidney and replenishes essence. Used for impotence, infertility, seminal emission, premature ejaculation, lower back pain, and dribbling after urination caused by Kidney deficiency and essence depletion.
-------------------	--

3. Product Specifications and Ingredients

Product Specifications	Medicinal composite film packaging, 6g/sachet × 8 sachets/box.
Ingredients	Goji Berries, Cuscuta Seed (stir-fried), Raspberry Fruit, Schisandra Fruit (steamed), Plantago Seed (salted). Excipient: Honey.

4. Direction for use

Directions for Use	Oral. 6g each time, 2 times daily.
Precautions	Not specified yet.
Contraindication	Avoid indigestible foods. Moderate sexual activity is advised during treatment. Not suitable for patients with colds/fevers. Patients with severe chronic conditions (hypertension, heart disease, liver disease, diabetes, kidney disease) should take under physician guidance. Children, pregnant women, and lactating women should take under physician guidance. If symptoms do not improve after 4 weeks, consult a physician. Allergic individuals prohibited; those with allergic constitution should use with caution. Do not use if characteristics change. Children must use under adult supervision. Keep out of reach of children. Consult physician or pharmacist before use if using other medications.

7: Taiji Dusheng Lidan Paishi Tablets



1. Product Overview

This is a sugar-coated tablet, appearing brownish-brown after removing the coating, with a bitter and salty taste.

2. Product Functions

Product Functions	Clears heat and disinhibits dampness, promotes bile flow and expels stones. Used for hypochondriac pain and gallbladder distention caused by damp-heat toxins and bowels' Qi obstruction, manifesting as distending pain in the hypochondria, fever, yellow urine, and constipation; also for cholecystitis and cholelithiasis presenting the above patterns.
-------------------	---

3. Product Specifications and Ingredients

Product Specifications	PVC solid medicinal rigid sheet + medicinal aluminum foil packaging, 3 × 12 tablets/sheet/box.
Ingredients	Lysimachia, Artemisia Capillaris, Scutellaria Root, Aucklandia Root, Turmeric Root Tuber, Rhubarb, Mirabilite, Areca Seed, Bran-fried Immature Bitter Orange, Ginger-fried Magnolia Bark.

4. Direction for use

Directions for Use	Oral. For stone expulsion: 6-10 tablets each time, 2 times daily; For inflammation: 4-6 tablets each time, 2 times daily.
Precautions	Not specified yet.
Contraindication	Use with caution in weak patients or those with poor liver function.

8: Xinnaoqing Softgels



1. Product Overview

This is a soft capsule containing a yellow or brownish-red oily mixture with trace amounts of tiny yellowish-white solids.

2. Product Functions

Product Functions	Activates blood and dissipates stasis, unblocks meridians to stop pain, opens orifices and arouses the spirit. Used for stroke, meridian apoplexy, hemiplegia, facial paralysis, and chest obstruction with heart pain caused by static blood obstruction. Also for cerebral infarction, coronary heart disease, angina pectoris, and hyperlipidemia presenting the above symptoms.
-------------------	---

3. Product Specifications and Ingredients

Product Specifications	52 softgels/bottle/box
Ingredients	Refined Safflower Oil, Borneol, Vitamin E, Vitamin B6.

4. Direction for use

Directions for Use	Oral. 2 softgels each time (3 softgels for hemiplegic patients), 3 times daily, after meals; or follow physician's advice.
Precautions	Not specified yet.
Contraindication	A few patients may experience nausea and dry mouth if taken before meals.

9: Dajia Weikang Banlangen Granules



1. Product Overview

This product is a light brownish-yellow to brownish-brown granule with a sweet and slightly bitter taste.

2. Product Functions

Product Functions	Clears heat and detoxifies, cools blood and benefits the throat. Used for throat swelling/pain and dry mouth/throat caused by excessive lung-stomach heat; also for acute tonsillitis with the above symptoms.
-------------------	--

3. Product Specifications and Ingredients

Product Specifications	10g per sachet.
Ingredients	Isatis Root. Excipients: Sucrose, Dextrin.

4. Direction for use

Directions for Use	Dissolve in boiling water and take. 5-10g each time (containing sucrose), 3-4 times daily.
Precautions	Not specified yet.
Contraindication	• Avoid smoking, alcohol, spicy, and fishy foods. • Do not take concurrently with nourishing Chinese patent medicines. • Diabetic patients and those with severe chronic conditions (hypertension, heart disease, liver disease, kidney disease) should take under physician guidance. • Children, pregnant/lactating women, elderly/debilitated individuals, and those with spleen deficiency and loose stools should take under physician guidance. • Patients with suppurative tonsillitis or fever above 38.5°C should consult a physician. • If symptoms do not improve after 3 days, consult a physician. • Allergic individuals prohibited; those with allergic constitution use with caution. • Do not use if characteristics change. • Children must use under adult supervision. • Keep out of reach of children. • Consult physician or pharmacist before use if using other medications.

10: Dajia Weikang Xiaojianzhong Granules



1. Product Overview

This granule product is suitable for spleen-stomach deficiency-cold. Indicated for spleen-stomach deficiency-cold, epigastric/abdominal pain that prefers warmth and pressure, reduced appetite, palpitations, chronic colitis, gastric and duodenal ulcers.

2. Product Functions

Product Functions	Warms the middle and tonifies deficiency, relaxes tension and alleviates pain. Used for spleen-stomach deficiency-cold, epigastric/abdominal pain preferring warmth and pressure, epigastric upset with acid reflux, reduced appetite, and palpitations.
-------------------	--

3. Product Specifications and Ingredients

Product Specifications	15g × 6 sachets/box
Ingredients	White Peony Root, Jujube, Cinnamon Twig, Ginger, Honey-fried Licorice. Excipients: Sucrose, Dextrin.

4. Direction for use

Directions for Use	Oral. 1 sachet each time, 3 times daily.
Precautions	Prohibited for pregnant women.
Contraindication	Not specified yet.

11: Dajia Weikang Liuwei Dihuang Capsules



1. Product Overview

This is a hard capsule containing light brown to brown powder or granules, with a bitter and slightly sour taste.

2. Product Functions

Product Functions	Nourishes Yin and tonifies the Kidney. Used for Kidney Yin depletion, dizziness, tinnitus, soreness/weakness of the lower back and knees, bone-steaming tidal fever, night sweats, and seminal emission.
-------------------	--

3. Product Specifications and Ingredients

Product Specifications	36 capsules/box
Ingredients	Prepared Rehmannia Root, Wine-processed Cornus Fruit (or Processed Cornus), Moutan Bark, Chinese Yam, Poria, Alisma.

4. Direction for use

Directions for Use	Oral. 1 capsule each time, 2 times daily
Precautions	Prohibited for those allergic to this product or its ingredients.
Contraindication	1.Avoid spicy, cold/raw, greasy, and indigestible foods during treatment. 2.Not suitable for patients with colds/fevers. 3.Patients with severe chronic conditions (hypertension, heart disease, liver disease, diabetes, kidney disease) should take under physician guidance. 4.Children, pregnant/lactating women should take under physician guidance. 5.Consult a physician if symptoms do not improve after 2 or 4 weeks (depending on the manufacturer's recommendation). 6.Consult physician or pharmacist before use if using other medications.

12: Dajia Weikang Naodesheng Pills (Concentrated Pills)



1. Product Overview

This product appears as black concentrated pills with a slightly bitter taste.

2. Product Functions

Product Functions	Activates blood and resolves stasis, unblocks meridians and collaterals. Used for vertigo and stroke caused by static blood obstructing collaterals, manifesting as limb immobility, difficulty speaking, and dizziness; also for cerebral arteriosclerosis, ischemic stroke, and cerebral hemorrhage sequelae presenting the above patterns.
-------------------	---

3. Product Specifications and Ingredients

Product Specifications	2g/sachet × 9 sachets/box
Ingredients	Notoginseng, Chuanxiong Rhizome, Safflower, Pueraria Root, Hawthorn (pitted). Excipients: Honey, Activated Carbon.

4. Direction for use

Directions for Use	Oral. 2g (1 sachet) each time, 3 times daily.
Precautions	Prohibited for pregnant women. Prohibited for those allergic to this product.
Contraindication	Avoid spicy and cold/raw foods. Not suitable for patients with colds/fevers. If symptoms do not improve after 1 month, consult a physician. Use with caution for allergic constitution. Do not use if characteristics change. Keep out of reach of children. Consult physician or pharmacist before use if using other medications.

13: Dajia Weikang Ginger & Jujube Cold-Dispelling Granules



1. Product Overview

This product appears as brownish-yellow granules with an aromatic odor and sweet, spicy taste.

2. Product Functions

Product Functions	Disperses and dispels cold, harmonizes the stomach and warms the middle. Used for wind-cold common cold and stomach-cold pain.
-------------------	---

3. Product Specifications and Ingredients

Product Specifications	15g per sachet
Ingredients	Dried Ginger, Jujube. Excipients: Sucrose, Dextrin, Stevioside.

4. Direction for use

Directions for Use	Oral. 1-2 sachets each time, 2-3 times daily.
Precautions	Not specified yet.
Contraindication	• Avoid smoking, alcohol, spicy, cold/raw, and greasy foods. • Do not take concurrently with nourishing Chinese patent medicines. • Not suitable for wind-heat common cold (manifesting as obvious fever, mild aversion to wind, sweating, thirst, turbid nasal discharge, throat swelling/pain, expectoration of yellow phlegm). • If symptoms do not improve or worsen after 3 days, or new severe symptoms appear (such as chest tightness, palpitations), stop immediately and consult a physician. • Use with caution in diabetic patients. • Prohibited for those allergic; use with caution for allergic constitution. • Do not use if characteristics change. • Children must use under adult supervision. • Keep out of reach of children. • Consult physician or pharmacist before use if using other medications.

14: Dajia Weikang Xinshenghua Granule



1. Product Overview

This product appears as yellow-brown to yellowish-brown granules with a sweet and slightly bitter taste.

2. Product Functions

Product Functions	Activates blood, dispels stasis, and stops pain.
-------------------	--

3. Product Specifications and Ingredients

Product Specifications	6g × 12 sachets/box
Ingredients	Angelica Sinensis, Chuanxiong Rhizome, Peach Kernel, Safflower, Motherwort, Dried Ginger (charred), Honey-fried Licorice.

4. Direction for use

Directions for Use	Dissolve in boiling water. 2 sachets each time, 2-3 times daily.
Precautions	Prohibited for pregnant women; prohibited for children. Contraindicated for those with blood heat with stasis (manifesting heavy bright red bleeding, dry mouth/tongue, etc.). Prohibited for those allergic to this product or its ingredients.
Contraindication	Avoid cold/raw and spicy foods during treatment. This product contains brown sugar as an excipient; diabetic patients should use with caution. Do not use if characteristics change.

15: Fuyanjie Jieyinkang Lotion



1. Product Overview

This product is a yellow or brownish-yellow liquid with an aromatic odor.

2. Product Functions

Product Functions	Used for candidal vaginitis, trichomonal vaginitis, and bacterial vaginosis, differentiated in Chinese medicine as damp-heat pouring downwards, manifesting as genital itching or itching pain, excessive yellow, thick, sticky, foul-smelling vaginal discharge, red tongue with yellow greasy coating, slippery or wiry rapid pulse.
-------------------	--

3. Product Specifications and Ingredients

Product Specifications	200 ml/bottle
Ingredients	Phellodendron Chinense Bark, Climbing Groundsel Herb, Sophora Flavescens, Stemona Root, Basil Oil, Menthol, Borneol.

4. Direction for use

Directions for Use	For external use. Dilute 10 ml (one capful) with warm boiled water to 100 ml, place in a vaginal douche, and irrigate deep into the vagina. Once daily, 7 days as one treatment course
Precautions	Prohibited during pregnancy and menstrual period.
Contraindication	For external use; strictly prohibit oral consumption. Do not directly apply the concentrated solution to the external genitals or irrigate the vagina without dilution. Use with caution if skin or mucous membranes are broken. Use with caution during lactation.

16: Renhe Dahuoluo Pills (Small Honeyed Pills)



1. Product Overview

This product is a brownish-brown small honeyed pill with a slightly aromatic odor and bitter taste.

2. Product Functions

Product Functions	Dispels wind and stops pain, eliminates dampness and expels phlegm, relaxes sinews and activates collaterals. Used for paralysis caused by apoplexy and phlegm syncope, foot wilting and impediment pain, sinew vessel spasm, lower back and leg pain, traumatic injuries with limited mobility, and chest obstruction.
-------------------	---

3. Product Specifications and Ingredients

Product Specifications	Approx. 20 pills per 1g
Ingredients	Long-Nosed Pit Viper, Black-Snake, Clematis Root, Anemone Raddeana, Ephedra, Cyrtomium Rhizome, Licorice, Notopterygium, Cinnamon Bark, Patchouli, Lindera Root, Coptis Rhizome, Prepared Rehmannia Root, Rhubarb, Aucklandia Root, Agarwood, Asarum Herb, Red Peony Root, Myrrh (processed), Clove, Frankincense (processed), Stiff Silkworm (stir-fried), Arisaema (processed), Green Tangerine Peel, Drynaria (scalded, hair removed), Amomum Cardamomum, Benzoin, Scutellaria Root, Cyperus Rhizome (vinegar-processed), Scrophularia Root, Atractylodes Rhizome (bran-fried), Saposhnikovia, Tortoise Shell (vinegar-calcined), Pueraria Root, Leopard Bone (fat-crisped), Angelica Sinensis, Dragon's Blood Resin, Earthworm, Buffalo Horn Concentrate Powder, Artificial Musk, Pine Resin, Artificial Bovine Bezoar, Borneol, Red Ginseng, Processed Aconite Root, Gastrodia Rhizome, Scorpion, Fleeceflower Root.

4. Direction for use

Directions for Use	Take with warm yellow rice wine or warm boiled water. 1 sachet each time, 1-2 times daily
Precautions	Prohibited for pregnant women.
Contraindication	Use with caution in those with liver-kidney Yin deficiency. Use with caution in athletes.

17: Renhe Xiaoyao Granules



1. Product Overview

This product is a light yellow to yellowish-brown granule with a slightly aromatic odor, sweet or mild taste.

2. Product Functions

Product Functions	Soothes the liver and strengthens the spleen, nourishes blood and regulates menstruation. Used for depression and discomfort, chest/hypochondriac distending pain, dizziness, reduced appetite, and irregular menstruation caused by liver depression and spleen deficiency.
-------------------	--

3. Product Specifications and Ingredients

Product Specifications	Composite film bag, 10 sachets per box.
Ingredients	Bupleurum Root, Angelica Sinensis, White Peony Root, Stir-fried Atractylodes Rhizome, Poria, Honey-fried Licorice, Mint, Ginger. Excipients: Sucrose, Dextrin.

4. Direction for use

Directions for Use	Dissolve in boiling water. 1 sachet each time, 2 times daily.
Precautions	Not specified yet.
Contraindication	Avoid cold/raw and greasy indigestible foods. Maintain a cheerful mood during treatment; avoid anger and irritation. Diabetic patients and those with severe chronic conditions (hypertension, heart disease, liver disease, kidney disease) should take under physician guidance. Consult a physician if menstrual patterns change suddenly (excessive/lengthy/ scanty/late period, irregular bleeding). Children, elderly/debilitated, pregnant/lactating women, and those with heavy menstruation should take under physician guidance. If symptoms do not improve after 3 days, consult a physician. Prohibited for those allergic; use with caution for allergic constitution. Do not use if characteristics change. Children must use under adult supervision. Keep out of reach of children. Consult physician or pharmacist before use if using other medications.

18: Renhe Twelve-Ingredient Wuji Baifeng Pills



1. Product Overview

This is a brown water-honeyed pill with an aromatic odor, sweet and slightly bitter taste. Used to tonify Qi, nourish blood, regulate menstruation, and stop leukorrhea.

2. Product Functions

Product Functions	Clears deficiency heat, tonifies Qi and blood. Used for thin physique, irregular menstruation, hot palms/soles, red and white leukorrhea, and abnormal uterine bleeding.
-------------------	--

3. Product Specifications and Ingredients

Product Specifications	6g/sachet × 20 sachets/box.
Ingredients	Black-Boned Chicken (feathers, claws, intestines removed), Astragalus (honey-fried), Prepared Rehmannia Root, Codonopsis Root, Atractylodes Rhizome, Poria, Chinese Yam, Angelica Sinensis, White Peony Root (wine-fried), Moutan Bark, Chuanxiong Rhizome, Schisandra Fruit (wine-processed).

4. Direction for use

Directions for Use	Oral. 6g each time, 2 times daily.
Precautions	Prohibited for pregnant women. Contraindicated for diabetic patients.
Contraindication	• Avoid spicy, cold/raw foods. • Not suitable during colds/flu. Patients with other diseases should take under physician guidance. • Not suitable for those with menstrual clots accompanied by abdominal pain that rejects pressure or chest/hypochondriac distension. • Consult a physician if periods suddenly become scanty, delayed, irregular vaginal bleeding, leukorrhea with genital itching, or red leukorrhea occurs. • If symptoms do not improve after 2 weeks, consult a physician. • Prohibited for those allergic; use with caution for allergic constitution. • Do not use if characteristics change. • Keep out of reach of children. • Consult physician or pharmacist before use if using other medications.

19: Renhe Wuzi Yanzong Pills



1. Product Overview

This product is a brownish-brown water-honeyed pill with a sweet, sour, and slightly bitter taste.

2. Product Functions

Product Functions	Tonifies the Kidney and replenishes essence. Used for impotence, infertility, seminal emission, premature ejaculation, lower back pain, and dribbling after urination caused by Kidney deficiency and essence depletion.
-------------------	--

3. Product Specifications and Ingredients

Product Specifications	Composite film bag. 6g per sachet, 10 sachets per box.
Ingredients	Goji Berries, Cuscuta Seed (stir-fried), Raspberry Fruit, Schisandra Fruit (steamed), Plantago Seed (salted). Excipient: Honey.

4. Direction for use

Directions for Use	Oral. 6g each time, 2 times daily.
Precautions	Not specified yet.
Contraindication	Avoid indigestible foods. Moderate sexual activity is advised during treatment. Not suitable for patients with colds/fevers. Patients with severe chronic conditions (hypertension, heart disease, liver disease, diabetes, kidney disease) should take under physician guidance. Children, pregnant women, and lactating women should take under physician guidance. If symptoms do not improve after 4 weeks, consult a physician. Allergic individuals prohibited; those with allergic constitution should use with caution. Do not use if characteristics change. Children must use under adult supervision. Keep out of reach of children. Consult physician or pharmacist before use if using other medications.

20: Renhe Weikangling Capsules



1. Product Overview

This is a hard capsule containing light yellow to brownish-brown powder with a sweet taste.

2. Product Functions

Product Functions	Softens the liver and harmonizes the stomach, dissipates stasis, relaxes tension and alleviates pain. Used for epigastric pain radiating to both hypochondria, belching, and acid reflux caused by liver-stomach disharmony and static blood obstructing collaterals; also for chronic gastritis presenting the above symptoms.
-------------------	---

3. Product Specifications and Ingredients

Product Specifications	Aluminum-plastic blister packaging. 12 capsules per plate, 2 plates per box.
Ingredients	White Peony Root, Bletilla Rhizome, Notoginseng, Licorice, Poria, Corydalis Rhizome, Cuttlebone, Belladonna Extract. Excipient: Sodium Bicarbonate.

4. Direction for use

Directions for Use	Oral. 4 capsules each time, 3 times daily. Take after meals.
Precautions	Prohibited for patients with prostatic hypertrophy and glaucoma. Prohibited for lactating women.
Contraindication	Diet should be mild; avoid alcohol, spicy, cold/raw, greasy foods. Avoid anger and melancholy; maintain a cheerful mood. Use with caution in patients with hypertension, heart disease, reflux esophagitis, gastrointestinal obstructive diseases, hyperthyroidism, ulcerative colitis. Use with caution during pregnancy. Children, elderly, and weak patients should take under physician guidance. Seek medical attention promptly for severe stomach pain. Consult a physician if symptoms do not improve after 3 days. Prohibited for those allergic; use with caution for allergic constitution. Do not use if characteristics change. Children must use under adult supervision. Keep out of reach of children. Consult physician or pharmacist before use if using other medications.

21: Renhe Yaositong Capsules



1. Product Overview

This is a capsule containing a greyish-brown powder with a bitter and sweet taste.

2. Product Functions

Product Functions	Relaxes sinews and activates collaterals, dispels stasis and stops pain, invigorates blood and dispels wind. Used for rheumatic arthritis, hypertrophic lumbar spondylitis, hypertrophic thoracic spondylitis, cervical spondylosis, sciatica, and lumbar muscle strain.
-------------------	--


3. Product Specifications and Ingredients

Product Specifications	Aluminum-plastic packaging. 12 capsules/plate × 3 plates/box.
Ingredients	Angelica Dahurica, Aconite Root (processed), Angelica Pubescens, Mistletoe, Dipsacus Root, Achyranthes Root, Notoginseng, Angelica Sinensis, Saposhnikovia, Clematis Root, Gentiana Macrophylla, Drynaria, Eleutherococcus Bark, Stephania Root, Kadsura Pepper Stem, Safflower, Eucommia Bark, Smilax Glabra, Fleeceflower Root, Homalomena Rhizome, Red Peony Root, Cinnamon Twig, Acetaminophen.

4. Direction for use

Directions for Use	Oral. 2 capsules each time, 3 times daily, after meals.
Precautions	Not specified yet.
Contraindication	Use with caution in patients with heart disease or gastrointestinal discomfort. If nausea, vomiting, abdominal pain, diarrhea, dizziness, numbness in mouth/tongue/limbs/body, chills, followed by dilated pupils, blurred vision, dyspnea, tetany, restlessness, and incontinence occur, stop taking and seek immediate medical attention. This product should not be taken in large doses or for a long duration.

22: Renhe Zhengwei Capsules



1. Product Overview

This is a hard capsule containing yellowish-brown to greyish-brown granules or powder with a slightly aromatic odor and mild, slightly astringent taste.

2. Product Functions

Product Functions	Clears heat and cools blood, strengthens the spleen and harmonizes the stomach, inhibits acid and alleviates pain. Used for gastric heat burning, epigastric stabbing pain, nausea/vomiting of acid fluids, reduced appetite and fatigue; also for chronic gastritis with the above symptoms.
-------------------	---

3. Product Specifications and Ingredients

Product Specifications	Aluminum-plastic blister packaging. 12 capsules per plate, 3 plates per box.
Ingredients	Monkeypod (Archidendron clypearia), Tangerine Peel, Paris Polyphylla, Aucklandia Root, Licorice, Aluminum Hydroxide, Magnesium Oxide, Bismuth Subnitrate. Excipient: Microcrystalline Cellulose.

4. Direction for use

Directions for Use	Oral. 4 capsules each time, 3 times daily.
Precautions	Contraindicated in appendicitis or acute abdomen pain, as it may worsen the condition and increase the risk of appendiceal perforation.
Contraindication	Avoid cold/raw, greasy, indigestible foods and spicy irritants. Not suitable for spleen-stomach Yin deficiency (manifesting dry mouth, red tongue with little fluid, dry stool). Contains Aluminum Hydroxide, Bismuth Subnitrate, Magnesium Oxide. Not suitable for fracture patients (due to potential hypophosphatemia from insoluble aluminum phosphate formation). Use with caution in patients with hypophosphatemia (e.g., malabsorption syndromes). Contains constipating effects, so use with caution in patients with chronic constipation. Do not take other bismuth preparations concurrently. Not suitable for prolonged or large-dose use. Use with caution during pregnancy; lactating women should take under physician guidance. Children, elderly, weak patients should take under physician guidance. Use with caution if allergic. Do not use if characteristics change. Children must use under adult supervision. Keep out of reach of children. Consult physician or pharmacist before use if using other medications.

23: Renhe Jingkang Capsules



1. Product Overview

This is a hard capsule containing yellowish-brown to brownish-brown granules and powder with a bitter, slightly sweet taste.

2. Product Functions

Product Functions	Tonifies the Kidney, activates blood, and stops pain. Used for cervical spondylosis caused by Kidney deficiency and blood stasis, manifesting as neck stiffness, distension, numbness, limited movement, dizziness, and tinnitus.
-------------------	---

3. Product Specifications and Ingredients

Product Specifications	Aluminum-plastic plate packaging. 12 capsules per plate, 4 plates per box.
Ingredients	Prepared Rehmannia Root, Fleeceflower Root, Eucommia Bark, Pyrola Herb, Drynaria (scalded), Uncaria, Pueraria Root, Notoginseng, Stir-fried Radish Seed.

4. Direction for use

Directions for Use	Oral. 4 capsules each time, 2 times daily; or follow physician's advice.
Precautions	Prohibited for pregnant women.
Contraindication	Not specified yet.

24: Renhe Shenlu Bu Tablets



1. Product Overview

This is a film-coated tablet, appearing brown after removing the coating, with an astringent and slightly bitter taste.

2. Product Functions

Product Functions	Replenishes Qi and nourishes blood, tonifies the Kidney. Used for Kidney Yang decline and insufficient Qi and blood, manifesting as aversion to cold/cold limbs, mental fatigue, lower back and knee soreness/weakness, dizziness, and tinnitus.
-------------------	--

3. Product Specifications and Ingredients

Product Specifications	Medicinal aluminum-plastic blister packaging. 12 tablets per plate, 2 plates per box.
Ingredients	Red Ginseng, Deer Meat, Epimedium, Cibot Rhizome, Eclipta, Solomon's Seal, Ligustrum Fruit (wine-processed), Prepared Rehmannia Root, Cynomorium, Dipsacus Root, Atractylodes Rhizome (stir-fried), Agrimony, Codonopsis Root, Spatholobus Stem. Excipients: Starch, Sucrose, Dextrin, Silica, Film Coating Premix.

4. Direction for use

Directions for Use	Oral. 3-4 tablets each time, 3 times daily.
Precautions	Not specified yet.
Contraindication	Avoid greasy foods. Use with caution in pregnant women, hypertensive and diabetic patients. Not suitable for cases with external contraction or internal excess heat. Do not take concurrently with Veratrum, Trogonopterus Dung, Gleditsia Fruit, or their preparations; avoid tea and radish to prevent interference with efficacy. Best taken before meals. If symptoms do not improve or worsen after 2 weeks, or new severe symptoms appear, stop use and consult a physician. Prohibited for those allergic; use with caution for allergic constitution. Do not use if characteristics change. Keep out of reach of children. Consult physician or pharmacist before use if using other medications.

25: Renhe Biyanning Granules



1. Product Overview

This product appears as dark brown granules with a sweet taste.

2. Product Functions

Product Functions	Clears damp-heat, opens nasal orifices, soothes liver Qi, strengthens the spleen and stomach. Used for chronic rhinitis, chronic sinusitis, allergic rhinitis; also for acute infectious hepatitis, chronic hepatitis, and persistent hepatitis.
-------------------	--

3. Product Specifications and Ingredients

Product Specifications	Composite film bag. 10 sachets/box
Ingredients	This product is a granule made from honeybee comb.

4. Direction for use

Directions for Use	Dissolve in boiling water. 15g each time, 2-3 times daily.
Precautions	- Prohibited during pregnancy. - Prohibited for those allergic to this product.
Contraindication	- This is a prescription drug; use only under physician's prescription. - Use with caution if you have a drug allergy history or allergic constitution. - There are currently no research data on use in children and lactating women, so use with caution in these populations. - Menstrual flow may increase if taken during the period; use with caution. - Pay attention during the first administration and within 30 minutes after use. If early allergic symptoms like facial flushing, skin itching appear, take them seriously, stop medication promptly, seek medical attention if necessary, and treat symptomatically.

26: Renhe Zhisuning Tablets



1. Product Overview

This product is a film-coated tablet, appearing brownish-brown after removing the coating, with a bitter, astringent, and sweet taste.

2. Product Functions

Product Functions	Detoxifies and reduces inflammation, stops bleeding and pain, reduces swelling and promotes bowel movement, shrinks hemorrhoid masses. Used for internal hemorrhoids, external hemorrhoids, mixed hemorrhoids, anal fissures, etc.
-------------------	--

3. Product Specifications and Ingredients

Product Specifications	Aluminum-plastic plate packaging. 12 tablets/plate × 3 plates/box.
Ingredients	Ampelopsis Root, Sophora Flower, Gallnut, Black Soybean, Pig Bile Extract.

4. Direction for use

Directions for Use	Oral. 4 tablets each time, 3 times daily.
Precautions	Not specified yet.
Contraindication	It is advisable to abstain from alcohol, fried foods, and spicy/irritating foods.

27: Renhe Qinghuo Capsules



1. Product Overview

This is a hard capsule containing brown to brownish-brown granules and powder with a slightly bitter taste.

2. Product Functions

Product Functions	Clears heat and purges fire, promotes bowel movement. Used for throat swelling/pain, toothache, dizziness, mouth/tongue sores, redness/swelling of eyes due to wind-fire, and constipation.
-------------------	---

3. Product Specifications and Ingredients

Product Specifications	Aluminum-plastic blister packaging. 12 capsules per plate, 2 plates per box.
Ingredients	Isatis Leaf, Rhubarb, Gypsum, Menthol. Excipients: Talcum Powder, Magnesium Stearate.

4. Direction for use

Directions for Use	Oral. 3 capsules each time, 2 times daily.
Precautions	Not specified yet.
Contraindication	Avoid smoking, alcohol, spicy, and greasy foods. Use with caution in those without excess heat and pregnant women. Patients with chronic conditions (heart disease, liver disease, diabetes, kidney disease) should take under physician guidance. Reduce dose if bowel movements increase to 2-3 times daily; stop and consult a physician if exceeding 3 times daily. If symptoms do not improve or worsen after 3 days, stop and consult a physician. Use with caution in children, elderly/debilitated, and those with spleen-stomach deficiency-cold; must use under physician guidance if needed. Prohibited for those allergic; use with caution for allergic constitution. Do not use if characteristics change. Children must use under adult supervision. Keep out of reach of children. Consult physician or pharmacist before use if using other medications.

28: Renhe Shiduoqing Tablets



1. Product Overview

This is a film-coated tablet, appearing brownish-yellow to brownish-brown after removing coating, with a slight odor and slightly bitter taste.

2. Product Functions

Product Functions	Nourishes blood and moistens dryness, transforms dampness and detoxifies, dispels wind and stops itching. Used for skin pruritus belonging to the pattern of blood deficiency with dampness lodged in the skin.
-------------------	---

3. Product Specifications and Ingredients

Product Specifications	12 tablets × 2 plates
Ingredients	Rehmannia Root, Angelica Sinensis, Salvia Root, Sophora Flavescens, Cicada Slough, Scutellaria Root, Dictamnus Root Bark, Smilax Glabra, Licorice.

4. Direction for use

Directions for Use	Oral. 3-4 tablets each time, 3 times daily.
Precautions	Prohibited for pregnant women. Prohibited for those allergic to this product or its ingredients. Prohibited for patients with a known personal history of liver injury from this product or its formula ingredients.
Contraindication	Avoid smoking, alcohol, spicy, greasy, and seafood/irritating foods. Do not take concurrently with warming/heating medicines. Use with caution if you have a history of liver disease or abnormal liver biochemical markers. If abnormal liver markers are found during use, or clinical manifestations related to liver injury (general fatigue, anorexia, aversion to oil, nausea, yellow urine, yellow eyes, yellow skin) occur, stop immediately and seek medical attention. Patients with hypertension, heart disease, diabetes, kidney disease, tumors should take under physician guidance. Children, elderly, lactating patients should take under physician guidance. Not suitable for long-term use; if symptoms do not improve after 7 days, consult a physician. Not suitable for acute stages of eczema/dermatitis. Do not wash the affected area with hot water.

29: Renhe Paishi Lidan Granules



1. Product Overview

This product appears as brownish-yellow to brownish-brown granules with a sweet, slightly bitter taste.

2. Product Functions

Product Functions	Soothes the liver and regulates Qi, promotes bile flow and expels stones. Used for cholecystitis and cholelithiasis.
-------------------	---

3. Product Specifications and Ingredients

Product Specifications	Aluminized film packaging. 12 sachets per box.
Ingredients	Artemisia Capillaris, Bupleurum Root (vinegar-fried), Lysimachia, Gentian Root, Red Peony Root, Turmeric Root Tuber, Typhae Pollen, Rhubarb, Troglodytes Dung, Mirabilite.

4. Direction for use

Directions for Use	Dissolve in boiling water. 20g each time, 2 times daily.
Precautions	Prohibited for pregnant women.
Contraindication	Not specified yet.

30: Renhe Fuyanjing Tablets



1. Product Overview

This is a film-coated tablet, appearing brownish-brown after removing the coating, with a bitter taste.

2. Product Functions

Product Functions	Clears heat and dispels dampness, regulates menstruation and stops leukorrhea. Used for irregular menstruation, dysmenorrhea, and adnexitis caused by damp-heat accumulation.
-------------------	---


3. Product Specifications and Ingredients

Product Specifications	Aluminum-plastic plate packaging. 12 tablets per plate, 3 plates per box.
Ingredients	Angelica Sinensis, Spatholobus Stem, Picria Fel-Terrae, Elephantopus Scaber, Thlaspi Arvense, Ficus Simplicissima, Alyxia Root, Zanthoxylum Nitidum, Persimmon Leaf.

4. Direction for use

Directions for Use	Oral. 3 tablets each time, 3 times daily.
Precautions	Not specified yet.
Contraindication	Avoid spicy, cold/raw, greasy foods. Patients with chronic diseases (hypertension, heart disease, liver disease, diabetes, kidney disease) should take under physician guidance. Those with menstrual disorders, young girls, postmenopausal patients, and children with loose stools should take under physician guidance. Consult a physician if red leukorrhea is present. Not suitable for those with menstrual pain preferring pressure, light menstrual color, delayed/scanty periods. Consult a physician for those with a history of multiple abortions or IUD insertion. Consult a physician if menstrual flow suddenly becomes scanty, delayed, or irregular vaginal bleeding occurs. Consult a physician if symptoms do not improve during treatment. Prohibited for those allergic; use with caution for allergic constitution. Do not use if characteristics change. Keep out of reach of children. Consult physician or pharmacist before use if using other medications.

31: Xiucheng Pharmaceutical Qianshan Huoxue Ointment



1. Product Overview

This product is a black plaster spread on cloth.

2. Product Functions

Product Functions	Activates blood and resolves stasis, relaxes sinews and activates collaterals, reduces swelling and stops pain. Used for skin, joint swelling, pain, limited mobility, as well as traumatic injuries, lumbar and knee osteoarthritis presenting the above symptoms.
-------------------	---

3. Product Specifications and Ingredients

Product Specifications	Net weight 5g per patch.
Ingredients	Ground Beetle (Eupolyphaga), Rhubarb, Notoginseng, Corydalis Rhizome, Dragon's Blood Resin, Dipsacus Root, Phellodendron Chinense Bark, Frankincense, Myrrh, Catechu, Asarum Herb, Homalomena Rhizome, Pleione Rhizome, Alisma, Goat Horn, Aucklandia Root, Bletilla Rhizome, Angelica Dahurica, Cinnamon Twig, Notopterygium Root. Excipients: Red Lead Oxide, Sesame Oil.

4. Direction for use

Directions for Use	For external use. Warm the plaster slightly to soften it, then apply to the affected area or related acupoints; or follow physician's advice (see package insert for details).
Precautions	Not specified yet.
Contraindication	A small number of patients may experience local itching, which can be managed symptomatically. Residual marks from the plaster can be removed with turpentine oil. Do not use on broken skin. Contraindicated in pregnant women.